



Illinois Wesleyan University Digital Commons @ IWU

John Wesley Powell Student Research
Conference

2010, 21st Annual JWP Conference

Apr 10th, 2:35 PM - 3:35 PM

Expression, Purification, and Characterization of Porphobilinogen Synthase in *Clostridium perfringens*

Kristina Dakis

Illinois Wesleyan University

David Bollivar, Faculty Advisor

Illinois Wesleyan University

Follow this and additional works at: <http://digitalcommons.iwu.edu/jwprc>

 Part of the [Biology Commons](#)

Dakis, Kristina and Bollivar, Faculty Advisor, David, "Expression, Purification, and Characterization of Porphobilinogen Synthase in *Clostridium perfringens*" (2010). *John Wesley Powell Student Research Conference*. 6.
<http://digitalcommons.iwu.edu/jwprc/2010/posters2/6>

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Poster Presentation P12

**EXPRESSION, PURIFICATION, AND CHARACTERIZATION OF
PORPHOBILINOGEN SYNTHASE IN *CLOSTRIDIUM PERFRINGENS***

Kristina Dakis and David Bollivar*
Biology Department, Illinois Wesleyan University

Clostridium perfringens is the most common cause of gas gangrene, a deadly tissue infection around a skin injury or surgical wound. It also is an agent of foodborne illness in the United States. Analysis of porphobilinogen synthase (PBGS) in *C. perfringens* may reveal useful information about an important control point in the metabolism of this human pathogen. PBGS plays a major role in the biosynthesis of natural tetrapyrrole pigments essential to most life forms. Also known as δ -aminolevulinic acid dehydratase, it catalyzes the condensation of two molecules of δ -aminolevulinic acid (ALA) to form porphobilinogen (PBG). This tetrapyrrole pigment is a precursor to heme, a molecule important to cellular respiration. In this study, host *Escherichia coli* cells were transformed with an expression plasmid containing the *C. perfringens* PBGS gene. Gene expression was induced and various purification techniques were used to isolate the enzyme. Activity assays lead to initial steps in characterization.